

## INTEGRATED AUTOMATION

### Control Panel VENTS iFan



**HUMIDITY MODE /**  
Humidity control adjustments

**TIMER /** Switch delay and runout time control

**SPEED /** Fan speed control adjustment

**SWITCH DELAY /** Fan switch delay control

**24 HOURS /** Permanent ventilation

**MODE /** Fan mode control

### Control Panel VENTS iFan Move



**HUMIDITY MODE /**  
Humidity control adjustments

**TIMER /** Switch delay and runout time control

**SPEED /** Fan speed control adjustment

**ON/OFF MOVE /** Turning motion sensor on/off

**SWITCH DELAY /** Fan switch delay control

**24 HOURS /** Permanent ventilation

**MODE /** Fan mode control


## TECHNICAL PARAMETERS

Model	Spigot diameter [mm]	Speed	Max. air flow [m³/h]	Noise level, 3 m dB(A)	Air flow, factory settings [m³/h]	Air flow control range [m³/h]
iFan / iFan Move	Ø 100	24 Hours	33	17	33	-
		silent	72	22	72	33...72
		max	106	31	82	72...106
Ø 125	-	24 Hours	40	17	40	-
		silent	83	21	83	40...83
		max	133	32	97	83...133

## OVERALL DIMENSIONS



## DECORATIVE FRONT PANEL COLOURS\*



\*Decorative front panels are available upon separate order

## CREATE INDIVIDUAL VENTS iFan design



**VENTS**

Information in catalogue is for reference only. VENTS reserves the right to modify any of its products' features, designs, components and specifications at any time and without notice to maintain the development and quality of manufactured goods.

08/2012



**iFan**  
intelligent fan

**INTELLECTUAL VENTILATION**



*Fresh air  
in your house!*

**VENTS**  
www.ventilation-system.com

**iFan MOVE**

Model with intellectual humidity control and extra motion sensor control



**iFan**

Basic model with intellectual humidity control



VENTS company, the worldwide ventilation leader, has developed the ultramodern innovative iFan based on advanced ventilation technologies. Discover absolutely new horizons for intellectual microclimate control in the bathroom with the VENTS iFan!

21 dB(A)

3,8 W

133 m<sup>3</sup>/h

Ø100/125

100-240 V  
50-60 Hz

**SMART**

With integrated VENTS iFan control functions, intelligent automation and the remote controller you can set individual adjustments for the fan operations based on humidity, motion, speed and running time. VENTS iFan creates the most comfortable microclimate following your personal preferences.



**ELEGANT**

VENTS iFan is distinguished by its specially developed elegant impeller and front panel design. The classic white front panel may be replaced by one of six decorative colour panels to let you enjoy a great look in any interior.



**REMOTE CONTROLLER**

Remote setting and control of all VENTS iFan functions from the remote controller.



**STABLE**

Power pulser with a broad power supply range from 100 to 240 V (50-60 Hz) provides stable operation in various power mains with versatile electric standards.



**EXTRA SLIM**

VENTS iFan has an extra slim casing. Its thickness without spigots is only 29 mm and can be installed both vertically or horizontally. The delivery set includes two spigots, Ø 100 mm and 125 mm.

**ENERGY EFFICIENT**

VENTS iFan is featured with extremely low energy demand – only 3.8 W, which reduces operating costs drastically.



**SUPER SILENT**

The motor fixation on a special vibration mount and the aerodynamically optimized impeller shape provide super silent operation 21 dB(A), which is combined with high air performance up to 133m<sup>3</sup>/h.

